

# Especificaciones

## Eaton 5PX3000RTG2



Eaton 5PX G2 UPS, 2U, 3000 VA, 3000 W, L5-30P input, Outputs: (1) L5-30R, (6) 5-20R, 120V

La foto es representativa



### Especificaciones generales

|                      |                                                                      |
|----------------------|----------------------------------------------------------------------|
| PRODUCT NAME         | Eaton 5PX G2 UPS                                                     |
| CATALOG NUMBER       | 5PX3000RTG2                                                          |
| UPC                  | 743172105714                                                         |
| PRODUCT LENGTH/DEPTH | 23.7 in                                                              |
| PRODUCT HEIGHT       | 3.4 in                                                               |
| PRODUCT WIDTH        | 17.2 in                                                              |
| PRODUCT WEIGHT       | 74.5 lb                                                              |
| COMPLIANCES          | CE Marked<br>REACH                                                   |
| CERTIFICATIONS       | cULus<br>RoHS<br>NOM<br>ENERGY STAR certified<br>BSMI<br>IEC 62040-1 |



Powering Business Worldwide

## Batería

|                                    |                                                                                                                            |
|------------------------------------|----------------------------------------------------------------------------------------------------------------------------|
| <b>RUNTIME GRAPH</b>               | \$row.attributeValue.cdata                                                                                                 |
| <b>BATTERY MANAGEMENT</b>          | ABM technology (3-stage charging extends battery service life by 50% and provides advance warning for battery replacement) |
| <b>BATTERY REPLACEMENT</b>         | User replaceable EBP-1617                                                                                                  |
| <b>BATTERY TYPE</b>                | Sealed, lead-acid                                                                                                          |
| <b>EXTENDED BATTERY CAPABILITY</b> | Add up to 4 extended battery modules (EBM).<br>Part number<br>5PXEBM72RTG2                                                 |

## Entrada eléctrica

|                              |          |
|------------------------------|----------|
| <b>INPUT CONNECTION</b>      | L5-30P   |
| <b>INPUT CORD LENGTH</b>     | 10 ft    |
| <b>INPUT NOMINAL VOLTAGE</b> | 120V     |
| <b>NOMINAL FREQUENCY</b>     | 50/60 Hz |
| <b>INPUT POWER FACTOR</b>    | 1        |

## Clasificación ambiental

|                   |                            |
|-------------------|----------------------------|
| <b>BTU RATING</b> | Online: 208, Battery: 1136 |
|-------------------|----------------------------|

## Salida eléctrica

|                   |                       |
|-------------------|-----------------------|
| <b>RECEPTACLE</b> | (1) L5-30R, (6) 5-20R |
| <b>TOPOLOGY</b>   | Line-interactive      |
| <b>WATTAGE</b>    | 3000 W                |
| <b>VA RATING</b>  | 3000 VA               |

## Comunicaciones

|                               |                                                         |
|-------------------------------|---------------------------------------------------------|
| <b>EXPANSION SLOTS</b>        | One slot; Gigabit Network Card (Network-M3) is optional |
| <b>SOFTWARE COMPATIBILITY</b> | Brightlayer Data Centers suite                          |
| <b>USER INTERFACE</b>         | LCD graphical display                                   |

## Especificaciones adicionales

|                                |                                                                                                                                                                                                                                                                              |
|--------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>SPECIAL FEATURES</b>        | UPS ship-in-rack option for integration into packaged deployments simplifying set up and getting you online quicker (available with the RK4PRS 4-post rail kit)                                                                                                              |
| <b>RACK SIZE</b>               | 2U                                                                                                                                                                                                                                                                           |
| <b>EFFICIENCY AT MAX. LOAD</b> | 98%                                                                                                                                                                                                                                                                          |
| <b>PACKAGE CONTENTS</b>        | <ul style="list-style-type: none"><li>• 3000VA 3000W 120V 5PX G2 Line-Interactive UPS with 7 Outlets</li><li>• USB cable</li><li>• RS-232 cable</li><li>• Rack-mounting hardware</li><li>• Tower support stands</li><li>• Safety guide</li><li>• Quick Start Guide</li></ul> |

## Garantía y soporte

### STANDARD FACTORY WARRANTY

- 3-year factory warranty with registration
- -3 years
- -Parts, electronics and batteries coverage
- -Standard ground shipping
- -Technical support

### EXTENDED SERVICE PLANS

- ADVANCED DEPOT EXCHANGE
- -5-YEAR DEPOT REPAIR: 5SW5Y-3000UC
- -Expedited parts coverage for 5 years
- -Parts, electronics and UPS batteries coverage
- -Next business day shipping
- -Technical support
- 
- ON-SITE 24X7, NEXT DAY RESPONSE
- 2 YEAR UPGRADE: WUN72XXX-6009UC
- -On-site expedited parts and labor coverage for first 2 years
- -Parts, electronics and UPS batteries coverage
- -Eaton on-site labor coverage
- -24x7 coverage, next day response
- -Next day shipping
- -Technical support
- 
- 3 YEAR FLEX PLAN: FLN73XXX-6009UC
- -On-site parts and labor coverage for years 3 to 5
- -Parts, electronics and UPS batteries coverage
- -24x7 on-site labor coverage, next day

## Recursos

response

- -Next day shipping
- -Technical support

NOMBRE DE PROYECTO:

NÚMERO DE PROYECTO:

PREPARADO POR:

FECHA:



**Eaton Corporation plc** Eaton House  
Carretera 30 Pembroke  
Dublín 4, Irlanda  
Eaton.com

© 2026 Eaton. Todos los derechos reservados.

Síguenos en las redes sociales para  
que conozca la información sobre  
productos y soporte más reciente.

